



1. Error codes

1.1 Error codes

| Error codes | |
|-------------|--|
| Code | Description |
| >=0 | No error or a valid result. |
| -1 | Invalid airport name. |
| -2 | Invalid airline name. |
| -3 | Invalid date. |
| -4 | Reserved. |
| -5 | Invalid fare index, for example when using command ##GETFAREBLOCK. |
| -6 | Invalid departure date. |
| -7 | Missing departure date. |
| -8 | Missing roundtrip or oneway parameter. |
| -9 | Command ##STARTQUERY recognized, but missing some parameters. |
| -10 | Internet Backend too busy. |
| -11 | Invalid set number, for example when using ##GETFARE. |
| -12 | Invalid end of buffer, double 0 termination expected. |
| -13 | General failure. |
| -14 | Request terminated because of timeout (normally this error appears if the double zero at the end wasn't sent). |
| -15 | Unknown command. |
| -16 | Unknown departure airport. |
| -17 | Unknown arrival airport. |
| -18 | Unknown stop airport. |
| -19 | Too many departure airports meet the given search criteria. |
| -20 | Too many arrival airports meet the given search criteria. |
| -21 | Too many stop airports meet the given search criteria. |
| -22 | Unknown mode parameter used with command ##GETAIRPORTS. |
| -23 | Unknown option used with the command ##GETAIRPORTS. |
| -24 | Invalid option used with the command ##GETAIRPORTS. |
| -25 | Unknown mode parameter used with command ##GETAIRLINES. |
| -26 | Unknown option used with the command ##GETAIRLINES. |
| -27 | Invalid option used with the command ##GETAIRLINES. |
| -28 | Too many airlines meet the given search criteria. |



| | |
|------|--|
| -29 | Unknown query mode. |
| -30 | GDS Availability out of time. |
| | |
| -50 | Invalid currency code. No exchange rate available for the given currency code. |
| -51 | Currency code not available. The given currency code could not be found in the database. |
| -52 | Unknown option during call of ##GETCURRENCY. |
| -53 | Invalid option during call of ##GETCURRENCY. |
| -54 | Calculation model does not exist. |
| -55 | Internet Backend is down for maintenance. |
| -56 | Wrong version of additional DLL. |
| -57 | Unknown tax retrieval error. |
| -58 | Error accessing databases. |
| -59 | Databases not found. |
| -60 | Invalid combination requested. |
| -80 | Date too far in the future. |
| -100 | No CRS interface installed. |
| -101 | Invalid transaction ID. |
| -102 | Invalid transaction session ID. |
| -103 | CRS actually not available. |
| -104 | Unknown CRS command. |
| | |
| -120 | Missing CRS Queue for booking. |
| -121 | Missing tariff number for booking. |
| -122 | Invalid tariff number for booking. |
| -123 | Missing phone number for booking. |
| -124 | Missing received from for booking. |
| -125 | Invalid passenger for booking. |
| -126 | Could not prepare booking. |
| -127 | Could not set OSI message. |
| -128 | Could not set SSR. |
| -129 | Could not get PNR for filekey. |
| -130 | Could not send PNR to consolidator. |
| | |
| -133 | Unable to start CRS thread. |
| -134 | Could not open PNR on queue. |
| -135 | Could not move PNR to queue. |
| -136 | Unable to cancel CRS booking. |



| | |
|------|--|
| -137 | Could not get booking info. |
| -138 | No booking info available. |
| -139 | Too many departures for availability. |
| -140 | Missing roundtrip duration. |
| -141 | Too many via facilities. |
| -142 | No or invalid ID code for booking. |
| -143 | No reservation or booking class defined for booking. |
| -144 | Missing or invalid filekey. |
| -145 | Missing Message. |
| -146 | Invalid or Missing SSR. |
| -147 | Could not set remark. |
| -148 | Could not get taxes. |
| -149 | Could not receive SSRs. |
| -150 | Open booking detected. |
| -151 | Unknown CRS error (old version). |
| -152 | Invalid arrival time. |
| -153 | Invalid arrival date. |
| -154 | Missing departure airport. |
| -155 | Invalid roundtrip duration. |
| -156 | Missing flight number. |
| -157 | Invalid departure time. |
| -158 | No fares requested. Please check your command. |
| -159 | All available fares had blackout flightnumbers. |
| -160 | Flight day is not allowed (day of week). |
| -161 | No PCC defined. |
| -162 | Fare doesn't allow direct flights. |
| -163 | Requested date is out of the fare season. |
| -164 | Requested availability is not matching the minimum/maximum stay restriction of the fare. |
| -165 | Invalid booking date (e.g.: Last booking date for the fare is in the past). |
| -166 | Invalid ticket date (e.g.: Last ticket date for the fare is in the past). |
| -167 | Requested inbound date is a blackout date. |
| -168 | Requested inbound date is after the last return date. |
| -169 | Invalid minimum connection time for outbound and inbound segments. |
| -170 | Invalid user ID is set to access the command. |
| -171 | The specified work path is invalid. |
| -172 | Both database paths are currently in use. |
| -173 | No passenger type defined for booking. |
| -174 | Missing arrival airport. |



| | |
|------|---|
| -175 | Missing airline parameter. |
| -176 | Link to remark table not found. |
| -177 | No price or no taxes received for published fare. |
| -178 | Obsolete CRS command used. |
| -179 | Unable to initialize CRS connection. |
| -180 | Unable to update an existing PNR. |
| -181 | Unable to parse the result of a structured PNR. |
| -182 | Too many passengers for the requested fare. |
| -183 | Not enough passengers for the requested fare. |
| -184 | It is not possible for the IBE to listen to on the specified port for incoming connections. |
| -185 | Duplicate form of payment information set in booking. |
| -186 | The CRS action was canceled. |
| -187 | Invalid response returned from the plugin – maybe a version mismatch. |
| -188 | Invalid date range request for allotments. |
| -189 | The IBE was unable to start a web fare thread. |
| -190 | The web fare action was canceled. |
| -191 | An invalid form of payment was specified for the booking. |
| -192 | Invalid debug file name specified. |
| -193 | Unable to start a further NFQE thread. |
| -194 | Not enough data to start a fare quote. |
| -195 | The connection of the NFQE action was canceled. |
| -196 | Unknown error using the NFQE. |
| -197 | Unable to initialize the NFQE. |
| -198 | The NFQE is not properly configured. |
| -199 | The execution of the NFQE quote failed. |
| -200 | Unknown point of turnaround for NFQE request. |
| -201 | The WebFares are not installed properly. |
| -202 | WebFare carrier not supported."); |
| -203 | Invalid length coding. |
| -204 | Unable to open routing check application. |
| -205 | Unable to parse routing. |
| -206 | Invalid internal rule link. |
| -207 | Invalid allotment requested. |
| -208 | Premium economy not supported for fare type. |
| -210 | No XtremPricer installed. |
| -211 | Invalid response from the XtremePricer. |
| -212 | Unable to determine the point of turnaround. |
| -213 | An invalid date was returned by the GDS. |



| | |
|---------------|---|
| -214 | An invalid or no booking class was returned by the GDS. |
| -215 | No segment data was returned by the GDS. |
| | |
| -300 | Could not send E-Mail booking. |
| -301 | Reserved. |
| -302 | No client name for E-Mail booking. |
| -303 | Reserved. |
| -304 | Reserved. |
| -305 | Reserved. |
| | |
| -400 | System down for maintenance. |
| | |
| -500 | No license for the requested feature available. |
| | |
| -600 | Unknown CRS error. |
| | |
| -740 | No legs for CRS request. |
| -741 | No passenger for CRS request. |
| | |
| -900 | Published fares query not supported by plugin. |
| -997 | Required function not supported by plugin. |
| -998 | Version conflict between plugin and Internet Backend. |
| | |
| <-999 | Plugin error message. |
| -1001 & -1002 | CRS is currently not available. |
| -1013 | General error accessing the GDS plugin. |
| -1100 | Unable to connect to SMI. |
| -1110 | Unable to send data to SMI. |
| -1177 | No taxes received. |
| -1200 | Creation of internal response interface failed. |
| -1220 | Error string return as response from SMI. |
| -1230 | SMI returned an empty string. |
| -1240 | Internal error during string parsing. |
| -1300 | Unable to connect to CRS-Server, CRS-Cache or CRS. |
| -1301 | Please check whether your local Cache Service (Services) has been started |
| -1305 | Setting of the TERMINALPCC failed. |
| -1310 | CRS or CRS-Server is not existent. |
| -1320 | CRS not signed in. |



| | |
|----------------|---|
| -1330 | The requested CRS is not a remote CRS. |
| -1335 | Path to CRS-Server does not exist. |
| -1339 | Invalid path to CRS server. |
| -1340 | Path to CRS-Server is empty. |
| -1341 | Internal error creating INI-file. |
| -1342 | Internal error reading VFCRSDEF.INI. |
| -1343 | Error transforming request into CRS specific format. |
| -1344 | Internal error reading CRS specific INI file. |
| -1345 | Internal error writing log-file. |
| -1346 to -1348 | Internal error initializing plugin. |
| -1349 | Internal error creating CRS instance. |
| -1350 to -1356 | Communication problem with CRS-bridge. |
| -1357 | Timeout reached without response. |
| -1358 | Connection problem to CRS-bridge. |
| -1359 | No data received from CRS-bridge |
| -1360 | Error receiving data from CRS-bridge. |
| -1361 | Complete request timed out. |
| -1401 | The seat request was sent to the GDS, but rejected or not confirmed |
| -1402 | The reservation failed due to invalid seat data, e.g. invalid row. |
| -1403 | The seat was not booked and no specific reason was given. This could be the subsequent result of another failed seat request. |
| -1404 | Seat reservation is not possible due to multiple reasons. |
| -1430 | Session problem: DA resend request encountered. |
| -1431 | Error Pricing itinerary encountered. |
| -1450 | Open PNR found. |
| -1451 | Received the error "Simultaneous changes to PNR" from the CRS system. |
| -1452 | Invalid PNR. |
| -1454 | Response screen contains INVALID. |
| -1456 | Response screen contains INVALID ADDRESS |
| -1458 | Unexpected end of display |
| -1460 | Check Format/Action response Error |
| -1462 | CNLD Response not given. |
| -1463 | Cancellation of segments failed. |
| -1464 | Set SSR failed. |
| -1465 | Ticket already issued. |
| -1466 | Set OSI failed. |
| -1467 | Names not found in PNR. |
| -1468 | Set remark failed. |
| -1469 | Add contact failed. |



| | |
|---------------|---|
| -1470 | Retrieve PNR by name failed. |
| -1471 | Add frequent flyer failed. |
| -1472 | PNR not sent on queue. |
| -1473 & -1474 | Internal error with CRS. |
| -1475 | Store farequote failed. |
| -1477 | Secured PNR. |
| -1478 | Retrieve PNR by filekey failed. |
| -1479 | Answer from CRS is too small. |
| -1480 | Queue is empty. |
| -1481 | Invalid received from. |
| -1482 | No confirmation for last action. |
| -1483 | Mssing data for request. |
| -1490 | Internal Galileo error. |
| -1491 & -1492 | Invalid or no SID. |
| -1493 | Special RawTalk error. |
| -1494 | CRS not available any more. |
| -1495 | Wrong tag. |
| -1497 | Open PNR on queue failed. |
| -1498 | Filekey not found in answer. |
| -1500 | No valid departure airport code in availability request. |
| -1501 | No valid arrival airport code in availability request. |
| -1502 | No valid airline code in availability request. |
| -1503 | Empty departure date in availability request. |
| -1504 | Empty departure time in availability request. |
| -1505 | Empty arrival date in availability request. |
| -1506 | Empty arrival time in availability request. |
| -1507 | No valid passenger information in availability request. |
| -1508 | No valid segment information in availability request. |
| -1510 | Invalid date or date in the past in availability request. |
| -1511 | Date is too far in the future in availability request. |
| -1512 | Date out of CRS range in availability request. |
| -1513 | One of the dates has an invalid syntax in availability request. |
| -1515 | Unable to retrieve segment in the CRS in availability request. |
| -1516 | Invalid CRS host in availability request. |
| -1517 | Sabre BSS version differs. |
| -1518 & -1519 | Invalid response. |
| -1520 | Error retrieving seatmap. |
| -1522 | the CRS rejected a date as invalid or missing. |
| -1523 | the CRS rejected a class as invalid or missing. |



| | |
|----------------|---|
| -1524 | Invalid date range |
| -1525 | Invalid airport |
| -1526 | Corporate name not found |
| -1550 | CRS error in availability request. |
| -1600 | Unknown CRS error occurred in the Internet Backend. |
| -1601 | No valid passenger information for booking. |
| -1602 | No valid segment information for booking. |
| -1605 | No price information for booking. |
| -1606 | Incomplete segment to book. |
| -1607 | Out- or Inbound index is wrong for booking. |
| -1608 | Invalid or empty date in booking request. |
| -1609 | No ticketing information. |
| -1610 | No phone number. |
| -1612 | Failed to set form of payment information (also credit card). |
| -1613 | Maximum number of passengers or passengertypes exceeded |
| -1620 | Canceled during Bluelane flight for booking. |
| -1622 | Unable to leave queue. |
| -1624 | Check airline for booking. |
| -1626 to -1630 | Internal error with plugin for booking. |
| -1631 | Passenger setting failed in booking. |
| -1632 | Set ticketing date failed in booking. |
| -1634 | Error setting phone agency in booking. |
| -1636 | Error setting phone client business in booking. |
| -1638 | Error setting phone client home in booking. |
| -1639 | Number of infants is greater than the number of adults. |
| -1640 | Error setting received from in booking. |
| -1650 & -1651 | Segment not found in response screen for booking. |
| -1652 | Error of segment in response screen for booking. |
| -1653 | Booked segment not found. |
| -1654 | Unable to receive response from CRS in booking. |
| -1660 | Open PNR found on CRS. |
| -1662 | No on queue response. |
| -1663 | Error setting the GDS ReceivedFrom into the booking.. |
| -1664 | No confirmation for last action in booking. |
| -1665 | Unable to book segment (e.g. unconfirmed segment status). |
| -1666 | At least one segment has waitlist status. |
| -1667 | Missing AVAILSTRING in request. |
| -1668 | Guaranteed payment failed during booking. |
| -1669 | Unable to store fare in booking. |



| | |
|---------------|---|
| -1670 | Price check failed due to price difference. Alternatives might be returned. |
| -1671 | Price check failed due to class difference on one or more segments. |
| -1672 | Unable to parse proposals (probably internal error). |
| -1673 | Price check succeeded but only when applying the tolerance (warning only). |
| -1674 | Unable to cancel filed fare. |
| -1675 | Connecting time of two segments is below the minimum timespan. |
| -1676 | Segment time differs after booking. |
| -1680 | PNR fare quote failed. |
| -1682 | Failed to retrieve tax. |
| -1684 | No received from for tax request. |
| -1686 | Tax screen contains unknown format. |
| -1688 | No tax information found. |
| -1689 | CRS not ready in tax request. |
| -1690 | Secured PNR. |
| -1691 | Internal plugin error with open jaw request. |
| -1692 & -1694 | Invalid tax screen. |
| -1696 | No taxes for passenger type. |
| -1697 | Invalid passenger type for tax request. |
| -1698 | No response screen from CRS for tax request. |
| -1699 | No segments found in the PNR for tax request. |
| -1710 | Wrong number of airlines in published fares request. |
| -1712 | No valid passenger information in published fares request. |
| -1714 | No valid segment information in published fares request. |
| -1715 | No published fares data or invalid screen from CRS. |
| -1716 | No answer for the published fares request. |
| -1717 | Tariff not found in response screen for published fares request. |
| -1718 | Not enough lines in the response of the published fares request. |
| -1720 | Unable to confirm segment. |
| -1721 | Reserved. |
| -1722 | Leg numbers are not set. |
| -1723 | Date time combinations produced an error. |
| -1724 | The CRS reported that the leg limit was exceeded. |
| -1725 | Unable to price manually |
| | |
| -1730 | Allotment booking failed. |
| -1731 | Allotment manager failed to initialize. |
| -1740 | Allotment cancellation failed. |
| -1741 | Allotment cancellation failed, because the ticketing date is reached. |



| | |
|-----------------|---|
| -1744 | Not enough seats in allotment group booking. |
| | |
| -1750 | Setting of a macro-remark failed. |
| -1900 | No BSS interface found. |
| -1901 to –1914 | Problem with the COM interface setup. |
| -1915 to –1919 | Internal error with CRS interfaces. |
| -1920 | CRS returns no data. |
| -1921 | Internal error. |
| -1922 | Unable to send data to CRS. |
| -1924 & -1925 | Error with communication interfaces to CRS. |
| -1926 | Internal error during string parsing. |
| -1927 & -1928 | Internal error with CRS interfaces. |
| -1930 to –1935 | Internal error with XML string. |
| -1940 | Error string as response returned from CRS. |
| -1941 | Internal error during string parsing. |
| -1942 | Unable to create response interface. |
| -1943 | CRS configuration is incompatible. |
| -1960 to – 1965 | Internal error with plugin. |
| -1966 | Requested TariffID is invalid. |
| -1970 | Registry key name unknown. |
| -1971 | Invalid registry settings for Sabre Booking Subsystem module. |
| -1972 | Registry key for the booking data unavailable. |
| -1980 | Internal error with plugin. |
| -1984 | Version mismatch with plugin. |
| -1985 | Out of memory |
| -1986 to –1995 | Internal error with plugin/BSS. |
| -1996 | Missing component. The BSS failed to load a required component. |
| -1997 & -1998 | Internal error with plugin/BSS. |
| -1999 | Required function not supported by plugin. |
| -2000 | Internal error in plugin. |
| | |
| -2100 | Unable to connect to SMI. |
| -2110 | Unable to send data to SMI. |
| -2200 | Creation of internal response interface failed. |
| -2220 | Error string return as response from SMI. |
| -2230 | SMI returned an empty string. |
| -2240 | Internal error during string parsing. |
| | |
| -3001 | Bridge: The request caused an access violation. |



| | |
|-------|--|
| -3002 | Bridge: Windows socket related error. This request might not have returned a reply to the calling IBE. |
| -3003 | Bridge: Configuration error. The PCC/OfficeID could not be found or the settings were incorrect. |
| -3004 | Bridge: The request was empty. |
| -3005 | Session limit reached |
| -3006 | Bridge: Soap error during webservice request. |
| -3100 | Bridge: Connection to the CRS failed. This can be invalid e.g. IP address or misspelled use information. |
| -3101 | Bridge: Invalid configuration between GDS und Bridge. |
| -3102 | Bridge: The CRS reply could not be understood. |
| -3103 | Bridge: The CRS API returned an error. |
| -3104 | Bridge: The timeout was reached. The timeout is specified in the requesting application minus 1 second. |
| | |
| -4001 | Cache: Unable to communicate with the CRS/CRS |
| -4002 | Cache: No more data in the database. |
| -4003 | Cache: Database error. |
| -4004 | Cache: The format of the request is invalid. |
| | |
| -5001 | WebFares: No matching plugin for carrier (code) found. |
| -5002 | WebFares: The request of the GetAvailableFares method is either missing or NULL. |
| -5003 | WebFares: Unable to retrieve the rule of the fare. |
| -5004 | WebFares: Unable to get the routing. |
| -5005 | WebFares: Unable to get fare prices. |
| -5006 | WebFares: The specified FareIdentifier is either missing or invalid. |
| -5007 | WebFares: Unable to retrieve the terms and conditions page. |
| -5008 | WebFares: The link to the terms and conditions page is missing. |
| -5009 | WebFares: The specified airport code is invalid (not a three-letter code). |
| -5010 | WebFares: Unable to get the payment methods. |
| -5012 | WebFares: The requested passengers are invalid. |
| -5013 | WebFares: The contact person is invalid. |
| -5014 | WebFares: The requested payment method is either missing or invalid. |
| -5015 | WebFares: The currency is either missing or is not a three-letter code. |
| -5016 | WebFares: The departure date is either missing or invalid. |
| -5017 | WebFares: The return date is invalid. |
| -5018 | WebFares: The language code is either missing or invalid. |
| -5019 | WebFares: The departure airport is either missing or invalid. |
| -5020 | WebFares: The arrival airport is invalid. |



| | |
|-------|---|
| -5021 | WebFares: The routing type flag is invalid. |
| -5022 | WebFares: The carrier code is either missing or invalid. |
| -5023 | WebFares: The complete request of the BookFlight method is missing. |
| -5024 | WebFares: The specified FlightIdentifier is either missing or invalid. |
| -5025 | WebFares: The credit card expiry date or the bank code is either missing or invalid. |
| -5026 | WebFares: The credit card or bank account number is either missing or invalid. |
| -5027 | WebFares: The credit card or bank account holder is either missing or invalid. |
| -5028 | WebFares: The contact person is missing. |
| -5029 | WebFares: No passengers are requested. |
| -5030 | WebFares: The credit card holder name is invalid. |
| -5031 | WebFares: The address is missing or invalid. |
| -5032 | WebFares: The city is missing or invalid. |
| -5033 | WebFares: The zip code is missing or invalid. |
| -5034 | WebFares: The country code is missing or invalid. |
| -5035 | WebFares: The E-mail is missing or invalid. |
| -5036 | WebFares: The first name is missing or invalid. |
| -5037 | WebFares: The last name is missing or invalid. |
| -5038 | WebFares: The phone is missing or invalid. |
| -5039 | WebFares: The passenger type is missing or invalid. |
| -5040 | WebFares: The day of birth for a passenger is missing or invalid. |
| -5041 | WebFares: The "travels with" indicator of an infant is missing or invalid. |
| -5042 | WebFares: The price for a fare has changed and therefore the booking is rejected. |
| -5043 | WebFares: A flight has changed and therefore the booking is rejected. |
| -5044 | WebFares: No confirmation key was found in the web response. A booking may or may not have been carried out successfully! |
| -5045 | WebFares: The summary request is missing. |
| -5046 | WebFares: Unable to get the link to a summary page. |
| -5047 | WebFares: Missing password for booking. |
| -5048 | WebFares: Invalid password for booking. |
| -5049 | WebFares: Unable to get the contact person page. |
| -5050 | WebFares: Wrong password for agent sign in. |
| -5051 | WebFares: The variable payment surcharge exceeds the allowed value. |
| -5052 | WebFares: Too many passengers for a booking. |
| -5053 | WebFares: Invalid plugin config file. |
| -5054 | WebFares: Unknown Agent code. |
| -5055 | WebFares: Unable to reach server. |



| | |
|-------|--|
| -5056 | WebFares: Unable to retrieve the booking. |
| -5057 | WebFares: Child is too old for fare. |
| -5058 | WebFares: Payment for booking rejected. |
| -5059 | WebFares: Unknown currency. |
| -5060 | WebFares: Unable to receive boarding details |
| -5061 | WebFares: Invalid setting of boarding type and/or number of baggage. |
| -5062 | WebFares: The TransactionID is missing or invalid. |
| -5063 | WebFares: Invalid APIS information. |
| -5064 | WebFares: Contact title is missing. |
| -5065 | WebFares: Carrier seems to block the request. |
| -5066 | WebFares: Carrier API returns an error. |
| -5067 | WebFares: Too many web timeouts during booking. |
| -5068 | WebFares: Missing password for 3D secure payment. |
| -5069 | WebFares: Invalid recordset for plugin |
| -5070 | WebFares: Website protected by Captcha. |
| -5071 | WebFares: Error from decpatcher API |
| -5072 | WebFares: Duplicate booking attempt |
| -5073 | WebFares: Error reaching Captcha Solver server. |
| -5074 | WebFares: The CVC number is not formatted correctly |
| -5075 | WebFares: Plugin timeout reached during GetFares |
| -5079 | WebFares: Duration not allowed. |
| -5080 | WebFares: Invalid frequent flyer number |
| -5081 | WebFares: Date too far in the future |
| -5082 | WebFares: Unable to cancel flight |
| -5083 | WebFares: Invalid leg number |
| -5084 | WebFares: The title and/or gender is missing or invalid" |
| -5094 | WebFares: GST details incorrect/incomplete |
| -5101 | WebFares: Booking finished, but payment is pending. |
| -5102 | WebFares: Booking finished, but routing has changed. |
| -5103 | WebFares: Booking finished, but price has changed. |
| -5104 | WebFares: Booking finished, but client closed the connection. |
| -5202 | WebFares: Either the service is not started or not properly installed. |
| -5203 | WebFares: Invalid WebFareServer exe.config setting.") |
| -5204 | WebFares: Invalid server version. |
| -5205 | WebFares: Carrier temporary turned off, because it had too many timeouts |
| -5500 | WebFares: Carrier website unreachable. |
| -5777 | WebFares: Function not supported by carrier. |
| -5888 | WebFares: Function not supported. |
| -5999 | WebFares: Unknown fatal error. |



| | |
|-------|--|
| | |
| -6010 | Charter: No plugins found. |
| -6011 | Charter: User account data is null or empty. |
| -6012 | Charter: The system cant found a unique user account. |
| -6013 | Charter: The user account data has no user name. |
| -6014 | Charter: The user account data has no user password. |
| -6015 | Charter: There is no transaction ID in the request. |
| -6016 | Charter: There is no account ID in the request. |
| -6017 | Charter: There is no company name in the request. |
| -6018 | Charter: There is no charter source in the request. |
| -6020 | Charter: Create log file error. |
| -6021 | Charter: Can not add entry to log. |
| -6022 | Charter: Plugin timed out. |
| -6023 | Charter: WebCurrency converter not found. |
| -6024 | Charter: GeoSearch module not found |
| -6025 | Charter: Plug-in directory doesn't exists. |
| -6030 | Charter: Thread list error. |
| -6100 | Charter: Request data is null. |
| -6101 | Charter: No fare type is found. |
| -6103 | Charter: Number of adults is null. |
| -6104 | Charter: No flights in the request. |
| -6105 | Charter: Maximum number of children and infants reached. |
| -6106 | Charter: No legs in the request. |
| -6107 | Charter: No arrival code in the request. |
| -6108 | Charter: No departure code in the request. |
| -6109 | Charter: No departure or arrival date in the request. |
| -6110 | Charter: No number of fares is set |
| -6113 | Charter: No passenger is set. |
| -6114 | Charter: No currency in the request. |
| -6115 | Charter: No language in the request. |
| -6116 | Charter: InboundDate |
| -6117 | Charter: Maximum number of flights reached. |
| -6118 | Charter: No flight identifier. |
| -6119 | Charter: No segments in the request. |
| -6120 | Charter: Segment data is null. |
| -6121 | Charter: No arrival segments in the request. |
| -6122 | Charter: No arrival date time in the request. |
| -6123 | Charter: No segment departure code in the request. |
| -6124 | Charter: No segment departure date in the request. |



| | |
|-------|---|
| -6125 | Charter: No segment flight number in the request. |
| -6126 | Charter: No segment fare base |
| -6127 | Charter: No Touroperator in the request. |
| -6128 | Charter: Request identifier is null |
| -6129 | Charter: No language in the request. |
| -6130 | Charter: No fare identifier in the request. |
| -6131 | Charter: Wrong fare identifier. |
| -6132 | Charter: No Langugae Code |
| -6150 | Charter: Customer request data in null. |
| -6151 | Charter: No customer last name in the request. |
| -6152 | Charter: No customer first name in the request. |
| -6153 | Charter: No customer address in the request. |
| -6154 | Charter: No customer zip code in the request. |
| -6155 | Charter: No customer city in the request. |
| -6156 | Charter: No customer country in the request. |
| -6157 | Charter: No customer E-Mail in the request. |
| -6160 | Charter: Passenger request data is null. |
| -6161 | Charter: Invalid passenger age in the request. |
| -6162 | Charter: Invalid passenger infant age in the request. |
| -6163 | Charter: Invalid passenger child age in the request. |
| -6164 | Charter: No passenger first name in the request. |
| -6165 | Charter: No passenger last name in the request. |
| -6166 | Charter: Passenger validation failed. |
| -6170 | Charter: Payment data is null. |
| -6171 | Charter: No payment first name in the request. |
| -6172 | Charter: No payment last name in the request. |
| -6173 | Charter: No payment bank code number in the request. |
| -6174 | Charter: No payment bank name in the request. |
| -6175 | Charter: No payment cc issue number in the request. |
| -6176 | Charter: No payment cc expiry date in the request. |
| -6177 | Charter: No payment cc type in the request. |
| -6178 | Charter: No payment bank account number in the request. |
| -6179 | Charter: No record locator in the request. |
| -6180 | Charter: No currency in the request |
| -6200 | Charter: Serialize fare request error. |
| -6201 | Charter: Invalid XML getFares response. |
| -6202 | Charter: Deserialize charter element error. |
| -6203 | Charter: Deserialize trip element error. |
| -6204 | Charter: Unhandled getFares error. |



| | |
|--------------|---|
| -6250 | Charter: Invalid XML avil response |
| -6251 | Charter: Serialize VerifyTime error. |
| -6252 | Charter: Serialize VerifyPrice error. |
| -6253 | Charter: Unhandled getAvailability error. |
| -6254 | Charter: GetAvailability build fare error. |
| -6270 | Charter: Unhandles GetRules error. |
| -6300 | Charter: Serialize booking request error. |
| -6301 | Charter: Serialize booking payment error. |
| -6302 | Charter: Serialize booking customer error. |
| -6303 | Charter: Serialize booking header error. |
| -6304 | Charter: Invalid XML booking response. |
| -6305 | Charter: No valid booking payment method |
| -6306 | Charter: No valid booking fare Identifier. |
| -6307 | Charter: Invalid record locator |
| -6308 | Charter: Deserialize booking tibet error code |
| -6309 | Charter: Unhandled booking error. |
| -6310 | Charter: Unhandled touoperator booking error. |
| -6311 | CharterFares: Booking error agent ID. |
| -6350 | Charter: Serialize PNR request error. |
| -6351 | Charter: Serialize GetPNR header error. |
| -6352 | Charter: Invalid XML PNR response. |
| -6353 | Charter: Unhandled GetPNR error. |
| -6400 | Charter: Invalid XML payment response. |
| -6401 | Charter: Serialize payment request error. |
| -6402 | Charter: Unhandled GetPayment error. |
| -6450 | Charter: Serialize can cancel request error. |
| -6451 | Charter: Serialize cancel request error. |
| -6452 | Charter: Invalid XML can cancel response. |
| -6453 | Charter: Invalid XML cancel response. |
| -6454 | Charter: Unhandled cancel error. |
| -6500 | Charter: Invalid XML info response. |
| -6501 | Charter: Serialize registration request error. |
| -6502 | Charter: Serialize status request error. |
| -6503 | Charter: Serialize return code request error. |
| -6504 | Charter: Unhandled GetTermsAndConditions error. |
| -6700 - 6799 | Charter: Plugin specific error. |
| -6950 | Charter: No hash code match. |
| -6951 | Charter: Web request error. |
| -6952 | Charter: No URL or empty request body. |



| | |
|-------|--|
| -6953 | Charter: Charter host response empty. |
| -7000 | Vayant: Internal error. |
| -7010 | Vayant: General error. |
| -7011 | Vayant: URL is missing or invalid. |
| -7012 | Vayant: Configuration is missing. |
| -7101 | Vayant: Net error. Name Resolution Failure. |
| -7102 | Vayant: Net error Connect Failure. |
| -7103 | Vayant: Net error. Receive Failure. |
| -7104 | Vayant: Net error. Send Failure. |
| -7105 | Vayant: Net error. Pipeline Failure. |
| -7106 | Vayant: Net error. Request Canceled. |
| -7107 | Vayant: Net error. Protocol Error. |
| -7108 | Vayant: Net error. Connection Closed. |
| -7109 | Vayant: Net error. Trust Failure. |
| -7110 | Vayant: Net error. Secure Channel Failure. |
| -7111 | Vayant: Net error. Server Protocol Violation. |
| -7112 | Vayant: Net error. Keep Alive Failure. |
| -7113 | Vayant: Net error. Pending. |
| -7114 | Vayant: Net error. Timeout. |
| -7115 | Vayant: Net error. Proxy Name Resolution Failure. |
| -7116 | Vayant: Net error. Unknown Error. |
| -7117 | Vayant: Net error. Message Length Limit Exceeded. |
| -7118 | Vayant: Net error. Cache Entry Not Found. |
| -7119 | Vayant: Net error. Request Prohibited By Cache Policy. |
| -7120 | Vayant: Net error. Request Prohibited By Proxy |
| -8000 | Allotments: No error |
| -8011 | Allotments: Initialize needed |
| -8012 | Allotments: Incorrect login data |
| -8013 | Allotments: Invalid connection string |
| -8014 | Allotments: Invalid service URL |
| -8051 | Allotments: Invalid BSS type |
| -8111 | Allotments: Departure airport is missing |
| -8112 | Allotments: Arrival airport is missing |
| -8113 | Allotments: Departure or arrival date are missing |
| -8114 | Allotments: Segments are missing |
| -8131 | Allotments: Different booking classes in segment list |
| -8151 | Allotments: Invalid allotment type parameter |



| | |
|-------|---|
| -8152 | Allotments: Invalid earliest ticketing parameter |
| -8153 | Allotments: Invalid latest ticketing parameter |
| -8154 | Allotments: Invalid direct only parameter |
| -8155 | Allotments: Invalid priority parameter |
| -8156 | Allotments: Invalid IgnoreAvail parameter |
| -8157 | Allotments: Invalid direction parameter |
| -8158 | Allotments: Invalid CombinableOnly parameter |
| -8159 | Allotments: Invalid segment list |
| -8160 | Allotments: Request parameter is null |
| -8171 | Allotments: Incorrect allotment id |
| -8201 | Allotments: Not enough free seats |
| -8241 | Allotments: Allotment routing is incomplete |
| -8242 | Allotments: No filekey in database |
| -8251 | Allotments: Invalid EndOption parameter |
| -8252 | Allotments: Invalid passenger list |
| -8253 | Allotments: Invalid CreditCardData parameter |
| -8254 | Allotments: Invalid TicketData parameter |
| -8255 | Allotments: Invalid segment list |
| -8256 | Allotments: Invalid StoreFareQuote parameter |
| -8257 | Allotments: Invalid OnQuoteError parameter |
| -8258 | Allotments: Invalid TicketType parameter |
| -8259 | Allotments: Invalid automater macro list |
| -8260 | Allotments: Booking request parameter is null |
| -8271 | Allotments: ReceivedFrom parameter is empty |
| -8272 | Allotments: Passenger list is empty |
| -8273 | Allotments: Phone list is empty |
| -8274 | Allotments: Segment list is empty |
| -8275 | Allotments: Passenger item has empty names |
| -8276 | Allotments: Segment item has missing information |
| -8277 | Allotments: No passenger to book |
| -8278 | Allotments: Segment list doesn't match complete allotment |
| -8279 | Allotments: PNR record locator is empty |
| -8280 | Allotments: Different allotment types |
| -8901 | Allotments: Internal error |
| -8902 | Allotments: Internal error while data access |
| | |
| -9001 | GDS Server: No matching plugins found. |
| -9002 | GDS Server: Request is missing. |
| -9003 | GDS Server: Unable to get the fare rules. |



| | |
|-------|--|
| -9005 | GDS Server: Get Fares failed. |
| -9006 | GDS Server: Invalid record set. (Fare ID) |
| -9007 | GDS Server: GetFareQuote failed. |
| -9008 | GDS Server: GetCalendar failed. |
| -9009 | GDS Server: GetAvailability failed to return results |
| -9010 | GDS Server: TicketBooking failed. |
| -9011 | GDS Server: Missing ticketnumber. |
| -9012 | GDS Server: Invalid ticketnumber. |
| -9013 | GDS Server: No customer last name. |
| -9014 | GDS Server: Invalid payment. |
| -9015 | GDS Server: Invalid currency. |
| -9016 | GDS Server: Invalid date time. |
| -9017 | GDS Server: Passengers are missing. |
| -9018 | GDS Server: Legs are missing. |
| -9019 | GDS Server: Invalid departure airport. |
| -9020 | GDS Server: Invalid arrival airport. |
| -9021 | GDS Server: Invalid or missing flightnumber |
| -9022 | GDS Server: Invalid or missing carrier code. |
| -9023 | GDS Server: Invalid or missing booking request. |
| -9024 | GDS Server: Invalid or missing flight data. |
| -9025 | GDS Server: Invalid or missing session parameter. |
| -9026 | Invalid or missing recordlocator. |
| -9027 | GDS Server: Invalid passenger. |
| -9028 | GDS Server: Missing contact person. |
| -9029 | GDS Server: Cancel booking failed. |
| -9030 | GDS Server: Invalid credit card holder. |
| -9031 | GDS Server: Invalid address. |
| -9032 | GDS Server: Invalid city. |
| -9033 | GDS Server: Invalid zip. |
| -9034 | GDS Server: Invalid country. |
| -9035 | GDS Server: Invalid e-mail address. |
| -9036 | GDS Server: Invalid first name. |
| -9037 | GDS Server: Invalid last name. |
| -9038 | GDS Server: Invalid phone number(s), |
| -9039 | GDS Server: Invalid passenger type. |
| -9040 | GDS Server: Invalid DOB. |
| -9041 | GDS Server: Invalid TravelWith parameter. |
| -9043 | GDS Server: Unable to cancel element in booking. |
| -9044 | GDS Server: No recordlocator received. |



| | |
|-------|--|
| -9045 | GDS Server: Missing segments. |
| -9046 | GDS Server: Missing class. |
| -9047 | GDS Server: Missing Queue. |
| -9048 | GDS Server: Requested queue is empty or not available. |
| -9049 | GDS Server: Invalid Contact person. |
| -9050 | GDS Server: Invalid request parameter. |
| -9051 | GDS Server: Revalidate ticket failed. |
| -9052 | GDS Server: Invalid class. |
| -9053 | GDS Server: Invalid baggage unit for ticketing. |
| -9054 | GDS Server: Add SSR failed. |
| -9055 | GDS Server: Add Remaks failed. |
| -9056 | GDS Server: GetPNR failed. |
| -9057 | GDS Server: ModifyBooking failed. |
| -9062 | GDS Server: Invalid transaction id. |
| -9063 | GDS Server: Invalid APIS information. |
| -9064 | GDS Server: Invalid or missing ticket data. |
| -9065 | GDS Server: PNR does not contain all stored fares/tickets. |
| -9066 | GDS Server: Invalid or missing commission. |
| -9067 | GDS Server: Invalid or missing tourcode. |
| -9068 | GDS Server: Invalid or missing endorsement. |
| -9069 | GDS Server: Invalid status of coupon. |
| -9070 | GDS Server: Invalid ticket qualifier. |
| -9071 | GDS Server: Creation of the TST failed. |
| -9072 | GDS Server: Cancellation of the TST failed. |
| -9073 | GDS Server: Updating the TST failed. |
| -9074 | GDS Server: Reissue ticket failed. |
| -9075 | GDS Server: Missing stored fare id. |
| -9076 | GDS Server: No response from the GDS. |
| -9085 | GDS Server: Brands are not compatible. |
| -9086 | GDS Server: Request parameter are not compatible. |
| -9087 | GDS Server: Currency conversion failed. |
| -9088 | GDS Server: Unable to price service. |
| -9089 | GDS Server: Invalid data to rebook. |
| -9090 | GDS Server: Rebooking failed. |
| -9091 | GDS Server: Quote service failed. |
| -9092 | GDS Server: Store quote of service failed. |
| -9093 | GDS Server: Invalid ticket date types. |
| -9094 | GDS Server: Booking segments failed. |



| | |
|-------|---|
| -9101 | GDS Server: Invalid or empty transaction ID. |
| -9102 | GDS Server: Payment pending. |
| -9103 | GDS Server: Routing changed. |
| -9104 | GDS Server: Price changed. |
| -9154 | Too many transferes requested. |
| -9155 | Too many passengers requested. |
| -9200 | GDS Server: Client connection closed. |
| -9201 | GDS Server: Missing account user. |
| -9202 | GDS Server: Missing GDS. |
| -9203 | GDS Server: Missing or invalid server config. |
| -9500 | GDS Server: GDS unreachable. |
| -9501 | GDS Server: LOGIN failed. |
| -9502 | GDS Server: Invalid response. |
| -9503 | GDS Server: GDS returned an error. |
| -9504 | GDS Server: GDS timed out |
| -9505 | GDS Server: GDS communication failed |
| -9510 | GDS closed communication. |
| -9511 | GDS found no fare. |
| -9512 | GDS returned no response. |



| | |
|--------|--|
| -9777 | GDS Server: Function not supported by GDS. |
| -9888 | GDS Server: Function not supported. |
| -9901 | GDS Server: Internal memory problem. |
| -9902 | GDS Server: Internal threading problem. |
| -9903 | GDS Server: Internal request timeout. |
| -9999 | GDS Server: Unhandled exception. |
| -10001 | No license for the current requested command. |
| -10002 | License expired. |
| -10003 | API couldn't read the content from the license file. |
| -10004 | Not license for the machine domain |
| -10005 | Internal error by initializing the error list. |
| -10006 | Internal error by initializing the user list. |
| -10007 | Database connection failed! |
| -10008 | Database isn't up to date. |
| -10009 | Database doesn't exists. |
| -10010 | Read user access list error. |
| -10011 | Invalid user name. |
| -10012 | Invalid user password. |
| -10013 | No user access to the current command. |
| -10014 | No user access to the requested supplier. |
| -10015 | Your trial license is expired |
| -10016 | Load user access data not successfull |
| -10017 | Login data is null. |
| -10018 | Request data is null. |
| -10019 | CRSConfig structure is null. |
| -10020 | CRSConfig MCRE is not supported for this method |
| -10021 | Login data missing! |
| -10025 | Requested fare source removed. |
| -10026 | Requested fare source is for the current user not released |
| -10027 | Load request modules failed! |
| -10028 | User has no admin rights. |
| -10030 | User is currently not active. |
| -10031 | Wrong API was requested. |
| -10032 | Requested PCC not allowed. |
| -10033 | The limit of the back tolerance search has been exceeded |
| -10034 | The limit of the ahead tolerance search has been exceeded |
| -10035 | The maximum number of web fares has been exceeded. |
| -10036 | The user has no rights to request all web carriers. |
| -10037 | The user has no rights to request one of the current web carriers. |



| | |
|--------|---|
| -10038 | The user has no rights to request the current charter host. |
| -10039 | The number of requested charter fares has been exceeded. |
| -10040 | The number of requested available charter fares has been exceeded. |
| -10041 | The number of requested availability checks has been exceeded. |
| -10042 | The number of concurrent availability checks has been exceeded. |
| -10050 | Requested CRS not allowed. |
| -10051 | Maximum number of fare connections reached. (Alternatives) |
| -10052 | Number of published fares reached. |
| -10053 | Number of net fares reached. |
| -10054 | Minimum numbers of departure codes not reached |
| -10055 | Maximum departure search radius reached. |
| -10056 | Maximum arrival search radius reached. |
| -10057 | The user limit of the request time out reached. |
| -10058 | Maximum number of simultaneous avails reached. |
| -10059 | Maximum number of search NetFares reached |
| -10060 | The search mode of the XtremePricer is not allowed. |
| -10061 | The number of XtremePricer maximum concurrent avails has been exceeded. |
| -10062 | The number of XtremePricer maximum connections has been exceeded. |
| -10063 | The number of XtremePricer maximum move downs has been exceeded. |
| -10064 | The XtremePricer search is not allowed! |
| -10065 | The xtremePricer user settings are null! |
| -10070 | The enhanced feeder search maximum move downs has been exceeded! |
| -10071 | The enhanced feeder search mode is not allowed! |
| -10072 | The enhanced feeder search is not allowed! |
| -10073 | The enhanced feeder search user settings are null! |
| -10080 | Invalid origin destination pair |
| -10099 | Invalid or missing request parameter |
| -10100 | API general error. |
| -10101 | API unknown message error. |
| -10102 | IBEFares serialize error. |
| -10103 | IBEFares deserialize error. |
| -10104 | IBEFares host timeout or closed. |
| -10105 | IBEFares connection failed. |
| -10106 | IBEFares general error. |
| -10107 | IBEFares method not supported. |
| -10108 | IBEFares module not initialized. |
| -10112 | NetFare engine Serialize error. |
| -10113 | NetFare engine deserialize error. |



| | |
|--------|---|
| -10114 | NetFare engine timeout. |
| -10115 | NetFare engine connection failed. |
| -10116 | NetFare engine general error. |
| -10117 | NetFare engine method not supported. |
| -10118 | General NetFare engine Module not initialised. |
| -10120 | CharterFares serialize error. |
| -10121 | CharterFares deserialize error. |
| -10122 | CharterFares connection failed. |
| -10123 | CharterFares host timeout or closed. |
| -10124 | CharterFares general error. |
| -10125 | CharterFares method not supported. |
| -10126 | CharterFares module not initialized. |
| -10136 | WebFare: No segments found. |
| -10137 | WebFare: ChangeFlightBooking response is empty or null WFE response. |
| -10138 | WebFare: ChangeFlightBooking supports no rebook for oneways. |
| -10139 | WebFare: No payment information found. |
| -10140 | WebFares serialize error. |
| -10141 | WebFares deserialize error. |
| -10142 | WebFares connection failed. |
| -10143 | WebFares host timeout or closed. |
| -10144 | WebFares general error. |
| -10145 | WebFares method not supported. |
| -10146 | WebFares module not initialized. |
| -10147 | WebFares module returned invalid currency exception. |
| -10150 | WebFare: Invalid tolerance currency |
| -10151 | WebFare: No PNR response to perform the cancellation. |
| -10152 | WebFare: Module doesn't support the current sub functionality. |
| -10153 | WebFare: No segments found in this PNR. |
| -10154 | WebFare: The number of requested segments are not equal to the existing number of segments. |
| -10155 | WebFare: Rebooking not possible - verify origin/destination. |
| -10156 | WebFare: Rebooking charge plus or fare differential exceed request maximum. |
| -10157 | WebFare: Invalid currency. |
| -10158 | WebFare: Requested segments not rebookable. |
| -10159 | WebFare: No valid payment was requested. |
| | |
| -10160 | GDS Server - Serialize error. |
| -10161 | GDS Server - Deserilaize error |



| | |
|--------|--|
| -10162 | GDS Server - Connection failed. |
| -10163 | GDS Server - Time out. |
| -10164 | GDS Server - General error. |
| -10165 | GDS Server - Method not supported. |
| -10166 | GDS Server - Module not initialized |
| -10167 | GDS Server - Setting of the User PCC failed. Password not set. |
| -10168 | GDS Server - Setting of the User PCC failed. Settings not found. |
| -10200 | Module source parameter is not set. |
| -10201 | Invalid module was set. |
| -10210 | The airport list is not loaded for the city code translation! |
| -10211 | Unhandled exception raised in the city code translation! |
| -10220 | Web currency is not supported. |
| -10300 | The RuleEngine is not initialised. |
| -10301 | The current user is not authorised to use the RuleEngine. |
| -10302 | The RuleEngine cannot find a valid rule or no rule is defined. |
| -10303 | The RuleEngine returned no valid fare request |
| -10304 | The number of allowed rule actions is zero. |
| -10305 | A RuleEngine request is not supported for this method. |
| -10306 | No MCRE GDSPProfile for an existing link found. |
| -10307 | GDS Profile does not exists for the current RuleEngine request splitting option. |
| -10310 | Rule Engine – Unhandled Exception |
| -10355 | PaymentGate request serialise error! |
| -10356 | PaymentGate response deserialise error! |
| -10357 | PaymentGate communication error! |
| -10358 | PaymentGate internal error! |
| -10359 | PaymentGate internal error! |
| -10360 | Payment provider account data not found! |
| -10361 | Payment could no determine the Web fare. |
| -10362 | Payment FX Quote failed. |
| -10363 | Payment: internal currency conversion failed. |
| -10364 | Payment: Currently not supported for the requested fare type. |
| -10365 | Payment: Could not determine the price for the VAN. |
| | |
| -10400 | BSS communication failed. |
| -10401 | BSS VRS error parsing failed. |
| -10402 | BSS module xml serialize error. |
| -10403 | BSS module xml deserialize error. |
| -10404 | BSS set property ShopFrontID failed. |



| | |
|--------|--|
| -10405 | BSS property ShopFrontID not set |
| | |
| -10510 | Vayant: Serialize error. |
| -10511 | Vayant: Deserialize error. |
| -10512 | Vayant – NoResultsFound |
| | |
| -10515 | Vayant - Methode not supported. |
| | |
| -10600 | Vayant - Total price error. |
| -10650 | Error by retrieving the NFQE response. |
| -10651 | No valid FareType combination was requested. |
| -10652 | NFQE: No passenger in the request |
| -10653 | NFQE: No legs are in the request. |
| -10654 | NFQE: Segments missing. |
| -10655 | NFQE: No FareType was requested. |
| -10656 | NFQE: No valid NetFare DB code was requested. |
| -10657 | NFQE: No valid currency was requested. |
| -10658 | NFQE: No valid percentage DB code was requested. |
| -10659 | NFQE: service not available. |
| -10660 | NFQE: No connection could be made. |
| -10661 | NFQE: Is not initialized. |
| -10662 | NFQE: Index out of range. |
| -10663 | NFQE: The flight is not loaded. |
| -10664 | NFQE: Passenger not loaded. |
| -10665 | NFQE: Unable to fill ticket. |
| -10666 | NFQE: Unable to evaluate fare. |
| -10667 | NFQE: Unable to create ticket. |
| -10668 | NFQE: Ticket not loaded. |
| -10669 | |
| -10670 | NFQE: No licence. |
| -10671 | NFQE: Undefined error. |
| -10672 | NFQE: Published leg count error. |
| -10673 | NFQE: Database not found. |
| -10674 | NFQE: version 4.0 or higher required. |
| -10675 | NFQE: Tax serialize error. |
| -10676 | NFQE: Segment serialize error. |
| -10677 | NFQE: Ticket serialize error. |
| -10678 | NFQE: UserFields serialize error. |
| -10680 | NFQE: No Published Fares found. |



| | |
|--------|--|
| -10690 | NFQE: Timeout. |
| -10697 | NFQE: Currency conversion error. |
| -10698 | NFQE: Serialize FAPI to NFQE request error. |
| -10699 | NFQE: General NFQE error. |
| | |
| -10701 | NFQE Rule: Invalid combination and/or openjaw setting |
| -10702 | NFQE Invalid feeder/addon duration to longhaul |
| -10703 | NFQE Rule: Not found in database |
| -10704 | NFQE Rule: Viceversa not permitted |
| -10705 | NFQE Rule: (Fare) 'Online only' without matching predecessor |
| -10706 | NFQE Rule: Not active |
| -10707 | NFQE Rule: Invalid Touroperator/Consolidator setting |
| -10708 | NFQE Rule: Invalid faretype for Round-The-World |
| -10709 | NFQE Effective date doesn't match |
| -10710 | NFQE Expired date doesn't match |
| -10711 | NFQE Rule: Invalid Minimum Stay |
| -10712 | NFQE Rule: Invalid Maximum Stay |
| -10713 | NFQE Rule: Flight returns at blackout date |
| -10714 | NFQE Rule: Flight returns at blackout date range |
| -10715 | NFQE Rule: Flight returns at blackout flight number |
| -10716 | NFQE Rule: Flight returns at blackout flight number range |
| -10717 | NFQE E-Ticket is disabled |
| -10718 | NFQE Via: Wrong transfer sequence |
| -10719 | NFQE Stops: Invalid stops |
| -10720 | NFQE Rule: Invalid Matchcode |
| -10721 | NFQE Rule: Advanced Ticketing Restrictions |
| -10722 | NFQE Segments: Invalid booking class |
| -10723 | NFQE Segments: Invalid carrier |
| -10724 | NFQE Segments: Invalid applicable time of day |
| -10725 | NFQE Segments: Invalid flight number |
| -10726 | NFQE Segments: Only direct only permitted |
| -10727 | NFQE Segments: Day of week not permitted |
| -10728 | NFQE Segments: Segment is always in use |
| -10729 | NFQE Segments: Segment is always in use by return flight |
| -10730 | NFQE Rule: Day of week not permitted |
| -10731 | NFQE Invalid season |
| -10732 | NFQE Invalid count of stops |
| -10733 | NFQE Invalid license |
| -10734 | NFQE Warning: A minimum of 1 Airport was not found in database |



| | |
|--------|--|
| -10735 | NFQE No valid segments found |
| -10736 | NFQE Warning: A minimum of 1 Supplier was not initialized successfully |
| -10737 | NFQE Invalid passenger count |
| -10738 | NFQE Invalid passenger type |
| -10739 | NFQE Invalid carrier |
| -10740 | NFQE Invalid bookclass |
| -10741 | NFQE Invalid departure date |
| -10742 | NFQE Incomplete combination |
| -10743 | NFQE No active instance |
| -10744 | NFQE Oneway fare and No 2 OWs is flagged |
| -10745 | NFQE Incomplete info for published quote |
| -10746 | NFQE Initializing calculation dll failed |
| -10747 | NFQE Invalid electronic/paper ticket setting |
| -10748 | NFQE Invalid return flight for mandatory open jaw |
| -10749 | NFQE 2 Circle trip: Routing differs |
| -10750 | NFQE 2 Circle trip: Pricing differs |
| -10751 | NFQE 2 Circle trip: Farebase differs |
| -10752 | NFQE Surface not permitted |
| -10753 | NFQE No direct flight with routing 'NONE' |
| -10754 | NFQE No matching routing selection |
| -10755 | NFQE Maximum count of combinations reached |
| -10756 | NFQE Only non stop flight allowed |
| -10757 | NFQE Invalid pricing for open jaw |
| -10758 | NFQE Milage error |
| -10759 | NFQE Maintanance in progress |
| -10760 | NFQE Feeder-Longhaul surface not permitted |
| -10761 | NFQE Percentage fares: Published/Special fare not allowed |
| -10762 | NFQE Percentage fares: Force farebase required |
| -10763 | NFQE Unused / reserved |
| -10764 | NFQE Segments: Missing segment description for additional segment |
| -10765 | NFQE Segments: Not permitted |
| -10766 | NFQE Copying compiled tariffs failed |
| -10767 | NFQE Transfers: Invalid transfers |
| -10768 | NFQE Rule: Constructed fare not permitted |
| -10769 | NFQE Maximum count of combinations reached |
| -10770 | NFQE Farequote denied |
| -10771 | NFQE Multiple farebases not allowed |
| -10772 | NFQE Export not activated for requested faretype |
| -10773 | NFQE No tickettemplate found |



| | |
|---------|---|
| -10774 | NFQE No point of turnaround for published fare |
| -10775 | NFQE Combination deleted because non-matching ForcedCarrier |
| -10776 | NFQE Either Corporate- or Paxtype- code as defined in percentage-leg does not match |
| | |
| -10800 | GetPNR: Pathfinder initialization failed. |
| -10801 | GetPNR: Pathfinder connection string was null or empty. |
| -10850 | This command is not supported for a mixed fare source |
| -10851 | The segment selection is not supported for a mixed fare source |
| -10852 | Multi stop requests are not supported for the current command |
| -10853 | No MCT times found. |
| -10902 | Process failed. Can not set the SegmentStatus. |
| -10903 | PNRProcessing failed! Set segment found. |
| -10924 | Too Many Default VAN Payments found. |
| | |
| -11050 | MCRE: Database exception |
| -11052 | MCRE: Invalid or no airport code requested |
| -11113 | MCRE: Booking Action is Missing |
| -11114 | MCRE: Cancel VAN failed |
| -12014 | Player: UnexpectedScheduleChange |
| -12015 | Player: GDS-FareQuote: Price change detected |
| -12016 | Unexpected GDS Error |
| | |
| -100000 | Unhandled CRS error. |